EU - End User Information

Introduction

This guide describes the End User (EU) information required for the provisioning of the Local Service Request (LSR). The EU information is always transmitted in conjunction with an LSR.

This document provides current definitions used by BellSouth Telecommunications in providing service.

EU — End User Description

Key Information

All information required for administrative, billing and contact is provided on the LSR.

The Administrative Section contains information pertaining to the service ordered such as purchase order number, desired due date, and other required fields.

The Bill Section provides billing name and address information.

The *Contact Section* contains initiator name, design contact name, implementation contact name and associated address telephone number information.

Local Exchange Ordering (LEO) guidelines incorporate the following requirements for the population of fields.

break

Conditional (C) is defined as the field is dependent upon the relationship to another entry as specified in the usage statement and is dependent upon the presence, absence or combination of other data entries.

Optional (O) is defined as the field may or may not be populated.

Prohibited (P) is defined as the field may never be populated.

Required (R) is defined as the field MUST be populated.

Not Applicable (N) is defined as the field that will not be used if populated.

Alpha/numeric field is designed to describe the type of valid entries. If a numeric field is prohibited it should be left blank.

Field Arrangement

The fields in the EU Section are arranged as follows:

EU-NAME

EU-STREET 1

EU-STREET 2

EU-FLOOR

EU-ROOM/UNIT

EU-BLDG

EU-CITY

EU-STATE

EU-ZIP CODE

LCON NAME

LCON TEL NO.

EUMI

ACC

IWO

IW BAN

IWCON-NAME

IWCON TEL NO.

LOCBAN

EAN

EATN

FBI

FB-BILLNM

FB-SBILLNM

FB-STREET

FB-FLOOR

FB-ROOM

FB-CITY

FB-STATE

FB-ZIP CODE

FBCON

FBCON-TEL NO.

EU — End User Entries

Administration Section (Location and Access Section)

EU-NAME - End User Name

This field identifies the name of the end user.

Usage:

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	Т	R	v	SS	RS	w	
A	R	R	R	R	R	N	R	N	N	N	
В	N	N	N	N	N	N	R	И	N	R*	
С	N	R	R***	N	И	N	R	N	N	R*	
D**	N	N	R	N	И	И	N	N	N	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	N	И	N	R	R	R	N	
J	R	N	R	N	N	R	N	N	И	N	
М	R	R	R	R	R	И	R	R	R	N	

^{* -} NPT must = D (LNP), otherwise prohibited.

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: This name will not be used for directory listing purposes.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 25 alpha/numeric characters

Example:

break

graphic: id=g07102 filename=gleoo001.102

Graphic file does not exist or is not permitted: 'gleoo001.102'

EU-STREET 1 - End User Street Address 1

This field identifies the street address of the end user location.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	T	R	v	ss	RS	w	
A	R	R	R	R	R	N	R	N	N	N	
В	N	N	N	N	N	N	R	N	N	R*	
С	N	R	R***	N	N	N	R	И	N	R*	
D**	N	N	R	N	И	N	N	N	N	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	И	N	N	R	R	R	N	
J	R	N	R	N	И	R	N	N	N	N	
М	R	R	R	R	R	N	R	R	R	N	

^{* -} NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Address must be RSAG valid.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A.

Data Characteristics: Up to 35 alpha/numeric characters

EU-STREET 2 - End User Street Address 2

This field provides additional space when EU-STREET 1 exceeds 35 characters.

Usage:

^{**}To be Developed.

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	C	D	M	Т	R	v	ss	RS	w		
A	0	0	0	0	0	N	0	N	N	И		
В	N	N	N	N	N	N	0	И	N	0*		
С	N	0	0***	N	N	N	0	N	N	0*		
D**	N	N	0	N	N	N	N	N	N	N		
E	0	0	0	0	0	N	0	0	0	0		
F	0	0	0	N	N	И	0	0	0	N		
J	0	N	0	N	N	0	И	N	N	N		
М	0	0	0	0	0	N	0	0	0	N		

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Address must be RSAG valid.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 35 alpha/numeric characters

EU-FLOOR - End User Floor

This field identifies the floor of the end user address.

Usage:

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	М	Т	R	v	ss	RS	w		
A	0	0	0	0	0	N	0	N	N	N		
В	N	N	N	N	И	N	0	N	N	0*		
С	N	0	0***	N	N	N	0	И	И	0*		
D**	N	N	0	И	N	N	N	И	N	N		
E	0	0	0	0	0	N	0	0	0	0		
F	0	0	0	N	И	И	٥	0	0	N		
J	0	N	0	N	N	0	N	N	N	N		
М	0	0	0	0	0	И	0	0	0	И		

^{**}To be Developed.

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: Address must be RSAG valid

Note 2: The entry in this field should not be preceded by the identifier FLR or FLOOR.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 12 alpha/numeric characters

Example:

2 (floor)

D (floor)

7C (floor)

EU-ROOM/UNIT - End User Room/Unit

This field identifies the room for the service address location.

Usage:

break

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	С	D	M	Т	R	v	SS	RS	w			
A	0	0	0	0	0	N	0	И	N	N			
В	N	N	N	И	И	N	0	N	N	0*			
С	N	0	0***	N	И	N	0	N	N	O*			
D**	N	N	0	И	И	N	N	N	И	И			
E	0	0	0	0	0	И	0	0	0	0			
F	0	0	0	N	N	N	0	0	0	N			
J	0	И	0	N	И	0	N	N	И	N			
M	0	0	0	0	0	N	0	0	0	N			

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Address must be RSAG valid.

Note 2: When entering room information only show the alpha and/or numeric character.

Note 3: When entering information (other than room), the identifier of apt, suit, unit, lot, slip etc.; must be

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

entered followed by a space and alpha/numeric characters.

Valid Identifiers:

break

APT	Apartment
SUIT	Suite
UNIT	Unit
LOT	Lot
SLIP	Slip

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

Example:

3 (room)

APT 123

SUIT 2B

UNIT 1

LOT A

SLIP 33

EU-BLDG - End User Building

This field identifies the specific building at the end user location.

Usage:

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	T	R	v	ss	RS	w	
A	0	0	0	0	0	N	0	N	N	N	
В	N	N	И	N	N	N	0	N	N	0*	
С	N	0	0***	N	N	N	0	И	N	0*	
D**	N	N	0	N	N	N	N	И	N	N	
E	0	0	0	0	0	N	0	0	0	0	
F	0	0	0	N	N	N	0	0	0	N	
J	0	N	0	N	N	0	И	N	N	N	
M	0	0	0	0	0	И	0	0	0	N	

- * NPT must = D (LNP), otherwise prohibited.
- ** To be Developed.
- ***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: Address must be RSAG valid.

Note 2: When entering building information only show the alpha and/or numeric character.

Note 3: When entering information (other than building), the identifier of WNG, or PIER must be entered followed by a space and alpha/numeric characters.

Valid Identifiers:

WNG = Wing PIER = Pier

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 9 alpha/numeric characters

Example:

3 (building)

A (building)

23C (building)

WNG 8

PIER 3

EU-CITY - End User City

This field identifies the city, village, township, community, etc. of the end user address.

Usage:

break	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	C	D	M	T	R	v	ss	RS	w		
A	R	R	R	R	R	N	R	N	N	N		
В	N	N	N	N	N	N	R	N	N	R*		
С	N	R	R***	N	N	N	R	N	N	R*		
D**	N	N	R	N	N	N	N	N	N	N		
E	R	R	R	R	R	И	R	R	R	R		
F	R	R	R	N	N	N	R	R	R	N		
J	R	N	R	И	N	R	И	N	N	N		
M	R	R	R	R	R	N	R	R	R	И		

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: Address must be RSAG valid.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 25 alpha characters

Example:

break

graphic: id=g07108 filename=gleoo001.108

Graphic file does not exist or is not permitted: 'gleoo001.108'

EU-STATE - End User State

This field identifies the two character postal code for the state of the end user's address.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	T	R	V	SS	RS	w	
A	R	R	R	R	R	N	R	N	И	N	
В	N	И	И	N	N	N	R	И	N	R*	
С	N	R	R***	N	N	N	R	N	N	R*	
D**	N	N	R	N	И	N	N	N	И	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	N	N	N	R	R	R	N	
J	R	N	R	N	И	R	И	N	N	N	
М	R	R	R	R	R	N	R	R	R	N	

^{* -} NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 alpha characters

Example:

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

graphic: id=g07109 filename=gleoo001.109

Graphic file does not exist or is not permitted: 'gleoo001.109'

EU-ZIP CODE - End User Zip Code

This field identifies the zip code or postal code of the end-user location.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	Т	R	v	SS	RS	w	
A	R	R	R	R	R	N	R	N	И	И	
В	N	N	N	И	N	N	R	N	N	R*	
С	N	R	R***	N	N	N	R	N	N	R*	
D**	N	N	R	N	N	N	И	И	И	N	
E	R	R	R	R	R	N	R	R	R	R	
F	R	R	R	N	И	И	R	R	R	N	
J	R	N	R	N	И	R	N	N	N	N	
M	R	R	R	R	R	N	R	R	R	N	

^{* -} NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 9 alpha/numeric characters

LCON-NAME - Local Contact Name

This field identifies the local contact name for access.

Usage:

break	ACTIVITY TYPE (ACCOUNT LEVEL)												
REQTYP	A	C D M T R V SS RS W											
A	R	R R R N R N N											
В	N	И	N	N	N	N	R	N	И	R*			
С	И	O O*** N N N O N N O*											

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

D**	N	И	0	N	И	И	N	И	И	И
E	0	0	0	0	0	N	0	0	0	0
F	0	0	0	N	И	И	0	0	0	N
J	N	И	N	N	И	И	N	И	N	N
М	0	0 .	0	0	0	N	0	0	0	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

Example:

break

graphic: id=g07111 filename=gleoo001.111

Graphic file does not exist or is not permitted: 'gleoo001.111'

LCON-TEL NO. - Local Contact Telephone Number

This field identifies the telephone number of the local contact.

Usage:

break	ACTIV	TTY TYP	E (ACCC	OUNT LE	VEL)					
REQTYP	A	С	D	M	Т	R	v	SS	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	N	N	И	N	N	И	С	N	И	C*
C	N	0	0***	N	N	N	0	N	N	0*
D**	N	N	0	N	N	N	N	N	N	N
E	0	0	0	0	0	N	0	0	0	0
F	0	0	0	N	N	И	0	0	0	N
J	N	N	N	N	N	N	N	И	N	N
М	С	С	С	С	С	N	С	С	С	И

^{* -} NPT must = D (LNP), otherwise prohibited.

^{**}To be Developed.

^{**}To be Developed.

Note 1: Required when LCON-NAME field is populated.

Note 2: LCON-TEL NO must be a minimum of 10 numerics.

Note 3: Population of the end user premise access contact information fields of the service order will be interpreted as permission by the CLEC, even though specific CLEC contract provisions state otherwise.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

EUMI - End User Moving Indicator

Indicates when the end user location is changing.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	T	R	v	ss	RS	w	
A	N	N	И	N	N	N	И	N	N	N	
В	N	N	N	N	N	N	И	N	N	N	
С	N	N	N	N	N	И	И	N	N	И	
D**	N	N	N	N	N	N	И	N	N	N	
E	N	N	N	N	N	N	N	N	N	N	
F	N	N	N	N	N	N	N	N	N	N	
J	N	N	N	N	N	N	N	N	И	N	
М	N	N	N	N	N	N	N	N	N	N	

^{* -} NPT must = D (LNP), otherwise prohibited.

**To be Developed.

Note: This field is not currently supported by electronic processing.

Valid Entries: 01 = End User is moving or Blank

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters 2 numeric characters

ACC - Access Instructions

Indicates the access instructions for the end user location. Access instructions should be very specific.

Usage:

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	M	Т	R	v	ss	RS	w		
A	0	0	0	0	0	N	0	N	N	N		
В	N	N	N	N	N	И	0	N	N	0*		
С	N	0	0***	N	N	N	0	N	N	0*		
D**	N	N	0	И	N	N	N	И	И	N		
E	0	0	0	0	0	И	0	0	0	0		
F	0	0	0	N	N	И	0	0	0	N		
J	N	N	N	N	И	И	N	N	И	N		
М	0	0	N	0	0	N	И	N	И	N		

^{* -} NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 160 alpha/numeric characters

Inside Wire Section

IWO - Inside Wiring Options

This field identifies the requirement for inside wire services.

Usage:

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	м	Т	R	v	ss	RS	w		
A	0	0	0	0	0	И	0	N	N	N		
В	N	N	N	И	N	N	0	И	N	0*		
С	N	0	0***	N	И	N	0	И	N	0*		
D**	N	N	0	И	И	N	N	И	N	И		
E	0	0	0	0	0	И	0	0	0	0		
F	0	0	0	N	N	И	0	0	0	N		
J	N	N	N	N	N	N	N	N	N	N		
M	0	0	0	0	0	N	0	0	0	N		

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note: (REQTYP = M) The only valid Inside Wiring Option is 'W'.

Valid Entries:

R = Referral for inside wiring (provider will negotiate with the end user).

S = Provide inside wiring repair plan and bill the customer.

U = Provide inside wiring and repair plan and bill the customer.

W = Provide inside wiring and bill the customer.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha character

Example:

break

graphic: id=g07115 filename=gleoo001.115

Graphic file does not exist or is not permitted: 'gleoo001.115'

IW BAN - Inside Wire Billing Account Number

This field identifies the billing account number for charges associated with inside wire.

Usage:

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	С	D	M	Т	R	V	ss	RS	w			
A	0	0	0	0	0	N	0	N	N	N			
В	N	И	N	N	И	N	0	N	N	0*			
С	N	0	0***	N	N	N	0	N	N	0*			
D**	N	N	0	И	И	N	N	N	И	И			
E	0	0	0	0	0	N	0	0	0	0			
F	0	0	0	N	N	N	0	0	0	N			
J	N	И	N	N	N	N	N	N	N	N			
M	0	0	0	0	0	N	0	0	0	N			

^{* -} NPT must = D (LNP), otherwise prohibited.

^{**}To be Developed.

Valid Entries:

Billing Account Number with Customer Code
E = Existing Customer Billing Account Number

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha or 13 alpha/numeric characters

Example:

break

graphic: id=g07116 filename=gleoo001.116

Graphic file does not exist or is not permitted: 'gleoo001.116'

IWCON-NAME - Inside Wire Contact Name

This field identifies the name of the person to be contacted for inside wire.

Usage:

break

break	ACTT	ACTIVITY TYPE (ACCOUNT LEVEL)										
REQTYP	A	С	D	М	Т	R	v	ss	RS	w		
A	С	С	С	С	С	N	С	И	N	N		
В	И	N	N	N	N	N	С	N	N	C*		
С	N	С	C***	N	N	N	С	N	N	C*		
D**	N	И	С	N	И	N	И	N	N	И		
E	С	С	С	С	С	N	С	С	С	С		
F	С	С	С	N	N	N	С	С	С	N		
J	N	N	N	N	N	N	N	N	N	N		
M	С	С	С	С	С	N	С	С	С	N		

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required when IWO field is populated, otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 25 alpha/numeric characters

Example:

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

break

graphic: id=g07117 filename=gleoo001.117

Graphic file does not exist or is not permitted: 'gleoo001.117'

IWCON-TEL NO. - Inside Wire Contact Telephone Number

This field identifies the telephone number of the inside wire contact.

Usage:

break

break	ACTIV	TIY TYP	E (ACCC	OUNT LE	VEL)					
REQTYP	A	С	D	M	T	R	v	ss	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	И	N	И	N	N	N	С	И	И	C*
С	N	С	C***	И	И	N	С	N	N	C*
D**	И	И	С	N	И	N	И	И	N	N
E	С	С	С	С	С	N	С	С	С	С
F	С	С	С	И	И	N	С	С	С	N
J	И	N	N	N	N	N	N	N	И	N
М	С	С	С	С	С	N	С	ပ	C	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note 1: Required when IWCON-NAME field is populated, otherwise prohibited.

Note 2: IWCON-TEL NO must be a minimum of 10 numerics.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

Bill Section

LOCBAN - Local Billing Account Number (Main Account Number)

This field identifies the end user's billing account number which may also be the end user local exchange telephone number.

Usage:

break ACTIVITY TYPE (ACCOUNT LEVEL)	
-------------------------------------	--

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

REQTYP	A	С	D	M	Т	R	v	ss	RS	w
A	R	R	R	R	R	И	R	N	N	N
В	N	N	N	N	N	И	R	N	N	R*
С	И	R	R***	N	N	И	R	N	N	R*
D**	И	И	R	И	И	N	N	N	N	N
E	R	R	R	R	R	N	R	R	R	R
F	R	R	R	N	N	N	R	R	R	N
J	R	N	R	И	N	R	N	N	N	N
M	R	R	R	R	R	N	R	R	R	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note 1: (REQTYP = A) For Designed LOOPS and ACT=A, the LOCBAN must be the CABS account number.

Note 2: (REQTYP = A) For **Designed LOOPS** and ACT=A, the BAN1 must be the same as the CABS account LOCBAN.

Note 3: (REQTYP = A) For NON-designed LOOPS and ACT=A, the LOCBAN must be a CRIS miscellaneous number.

Note 4: REQTYP A, ACT =A, the LOCBAN must be the 10 digit dialable telephone number being converted.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 or 13 alpha/numeric characters

EAN - Existing Account Number

This field identifies the end user's existing account number assigned by the current LSP (the number where the data will "migrate from"). It is a non-dialable, non-standard number (ie: miscellaneous account number).

Usage:

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	c	D	M	Т	R	v	ss	RS	w			
A	И	И	И	N	N	N	И	N	N	И			
В	N	N	N	N	N	N	С	N	N	C*			
С	N	С	N	N	N	N	С	И	N	C*			
D**	N	N	N	N	N	И	N	И	N	N			
E	И	С	N	И	И	И	С	И	N	N			

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

!	F	N	С	N	N	N	N	С	N	И	N
	J	N	N	N	N	N	N	И	N	И	N
	M	P	С	P	P	P	N	С	P	P	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note 1: Required on REQTYP B, C, E, F, and M when the EATN field is *not populated* and the request is for Partial Migration, Subsequent Partial Migration, or Subsequent FULL Migration.

Note 2: Required for conversion of an End User acct. (LNA = V) when the EATN field is not populated, otherwise prohibited.

Note 3: Prohibited when the EATN field is populated.

Note 4: Whenever the EAN field is populated, the data must match information in LOCBAN field.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 or 13 alpha/numeric characters

EATN - Existing Account Telephone Number

This field identifies the existing NUMERIC account number from the current LSP (the number where the data will "migrate from"). It is a dialable telephone number.

Usage:

break

break	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	С	D	М	Т	R	v	ss	RS	w		
A	N	N	N	N	N	N	И	N	N	N		
В	N	N	N	N	N	N	С	И	N	C*		
С	N	С	N	N	N	N	С	N	N	C*		
D**	N	N	N	N	N	N	N	N	N	И		
E	N	С	N	N	N	N	С	N	N	N		
F	N	С	N	N	N	N	С	N	N	N		
J	И	N	N	N	N	N	N	N	N	N		
М	P	С	P	P	P	N	С	P	P	N		

^{* -} NPT must = D (LNP), otherwise prohibited.

Note 1: Required on REQTYP B, C, E, F, and M when the EAN field is not populated and the request is for Partial Migration, Subsequent Partial Migration, or Subsequent FULL Migration.

^{**}To be Developed.

^{**}To be Developed.

Note 2: Required for conversion of an End User acct. (LNA = V) when the EAN field is not populated, otherwise prohibited.

Note 3: Prohibited when the EAN field is populated.

Note 4: Whenever the EATN field is populated, the data must match information in LOCBAN field.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 10 numeric characters

FBI - Final Bill Information

Indicates whether a Final Bill should be sent to either the existing billing address or a different address.

Usage:

break

break	ACTIV	TIY TYP	E(ACCC	UNT LE	VEL)					
REQTYP	A	С	D	М	Т	R	v	ss	RS	w
A	0	0	0	0	0	N	0	И	N	N
В	И	N	N	И	N	N	0	И	N	0*
С	N	0	0***	N	И	И	0	И	И	0*
D**	N	N	0	N	N	N	N	N	N	N
E	0	0	0	0	0	И	0	0	0	0
F	0	0	0	N	И	И	0	0	0	N
J	N	N	0	N	N	И	И	N	N	N
М	0	0	0	0	0	N	0	0	0	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: When the valid entry is 'D', the FB-BILLNM, FB-STREET, FB-CITY, FB-STATE, and FB-ZIP CODE fields must be populated.

Valid Entries:

E = Existing

D = Different

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 1 alpha character

Example:

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

graphic: id=g07122 filename=gleoo001.122

Graphic file does not exist or is not permitted: 'gleoo001.122'

FB-BILLNM - Final Billing Name

This field identifies the end user final bill name.

Usage:

break

break	ACTIV	ACTIVITY TYPE (ACCOUNT LEVEL)											
REQTYP	A	С	D	М	Т	R	v	SS	RS	w			
A	С	С	С	С	С	И	С	N	N	N			
В	N	N	N	N	N	N	С	N	N	C*			
С	N	С	C***	N	N	N	С	N	N	C*			
D**	N	N	С	N	N	N	N	N	N	N			
E	С	С	С	С	С	N	С	С	С	С			
F	С	С	С	N	N	N	С	С	С	И			
J	N	N	С	N	N	N	N	И	И	N			
M	С	С	С	С	С	N	С	С	С	N			

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 20 alpha/numeric characters

Example:

break

graphic: id=g07123 filename=gleoo001.123

Graphic file does not exist or is not permitted: 'gleoo001.123'

FB-SBILLNM - Final Bill Secondary Bill Name

This field identifies the name of a department or group within the designated FB-BILLNM entry.

Usage:

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

break	ACTIV	TIY TYP	E (ACCC	UNT LE	VEL)					
REQTYP	A	С	D	M	Т	R	v	SS	RS	w
A	0	0	0	0	0	N	0	N	N	N
В	И	N	N	N	N	N	0	N	N	0*
С	N	0	0***	N	N	И	0	N	N	0*
D**	N	N	0	И	N	N	N	N	И	N
E	0	0	0	0	0	N	0	0	0	0
F	0	0	0	N	N	И	0	0	0	N
J	N	N	0	И	И	И	N	N	N	N
M	0	0	0	0	0	N	0	0	0	И

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: May also be used to specify the end user customer identified by a "SAN" (Subscriber Authorization Number) used by the customer in conjunction with billing its customer.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 20 alpha/numeric characters

FB-STREET - Final Bill Street

This field identifies the street of the billing address associated with the billing name.

Usage:

break	ACTIV	TIY TYF	E(ACCC	UNT LE	VEL)					
REQTYP	A	С	D	M	Т	R	v	ss	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	N	N	И	N	N	N	С	И	N	C*
С	N	С	C***	N	И	И	С	N	N	C*
D**	N	N	С	N	И	N	N	N	N	N
E	С	С	С	С	С	N	С	С	С	С
F	С	С	С	N	N	N	С	С	С	N
J	N	N	0	И	N	N	И	N	N	N

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

M	С	С	C	С	C	N	С	С	С	N	
	i	1	1			ł.					4

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 20 alpha/numeric characters

FB-FLOOR - Final Bill Floor

This field identifies the floor for the billing address associated with the billing name.

Usage:

break

break	ACTIV	TIY TYI	E (ACCC	OUNT LE	VEL)					·
REQTYP	A	С	D	M	Т	R	v	ss	RS	w
A	0	О	0	0	0	N	0	N	N	N
В	N	N	N	N	N	N	0	N	N	0*
С	N	0	0***	N	N	N	0	N	N	0*
D**	N	N	0	N	N	И	N	N	N	N
E	0	0	0	0	0	N	0	0	0	0
F	0	0	0	И	И	И	0	0	0	N
J	N	N	0	N	N	N	N	N	N	N
М	0	0	0	0	0	N	0	0	0	N

^{* -} NPT must = D (LNP), otherwise prohibited.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 3 alpha/numeric characters

Example:

break

graphic: id=g07126 filename=gleoo001.126

Graphic file does not exist or is not permitted: 'gleoo001.126'

^{**}To be Developed.

^{**}To be Developed.

FB-ROOM - Final Bill Room

This field identifies the room for the billing address associated with the billing name.

Usage:

break

break	ACTIV	TTY TYP	E (ACCC	OUNT LE	VEL)					
REQTYP	A	C	D	M	T	R	v	ss	RS	w
A	0	0	0	0	0	N	0	N	N	N
В	N	N	N	N	N	N	0	N	N	0*
С	N	0	0***	N	N	N	0	N	N	0*
D**	N	N	0	N	N	N	N	N	N	N
E	0	0	0	0	0	N	0	0	0	0
F	0	0	0	N	N	И	0	0	0	N
J	N	N	0	N	N	N	И	N	N	N
M	0	0	0	0	0	N	0	0	0	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

FB-CITY - Final Bill City

This field identifies the city, village, township, or other geographic locators of the billing address associated with the billing name.

Usage:

break	ACTI	VIIY TY	PE (ACC	OUNT I	EVEL)					
REQTYP	A	С	D	M	Т	R	v	SS	RS	w
A	С	С	С	С	С	И	С	N	N	N
В	N	N	И	N	N	И	C	И	И	C*
С	N	С	C***	N	N	N	С	N	N	C*
D**	N	И	С	N	N	N	N	N	N	N
E	С	С	С	С	С	N	С	С	С	С

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

F	С	С	С	И	N	N	С	С	С	N
J	N	N	С	N	N	N	И	N	N	N
М	С	С	С	С	С	N	С	С	С	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 11 alpha characters

FB-STATE - Final Bill State

This field identifies the two character postal code for the state of the billing address associated with the billing name.

Usage:

break

break	ACTIV	TY TY	PE (ACC	OUNT L	EVEL)					· · · · · · · · · · · · · · · · · · ·
REQTYP	A	C	D	М	Т	R	v	ss	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	N	N	N	N	N	N	С	N	И	C*
С	N	С	C***	И	N	N	С	N	N	C*
D**	N	N	С	N	И	И	И	И	И	N
E	С	С	С	С	С	N	С	С	С	С
F	С	С	С	N	N	И	С	С	С	N
J	N	N	С	N	N	N	N	N	N	N
M	С	С	С	С	С	N	С	С	С	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: 2 alpha characters

^{**}To be Developed.

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

Example:

break

graphic: id=g07129 filename=gleoo001.129

Graphic file does not exist or is not permitted: 'gleoo001.129'

FB-ZIP CODE - Final Bill Zip Code

This field identifies the zip code or postal code of the billing address associated with the billing name.

Usage:

break

break	ACTI	VITY TY	PE (ACC	OUNT L	EVEL)					
REQTYP	A	С	D	M	Т	R	v	ss	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	N	N	N	N	N	И	С	N	И	C*
С	N	С	C***	N	N	N	С	N	N	C*
D**	N	N	С	N	N	N	N	N	N	N
E	С	С	С	С	С	N	С	С	С	С
F	С	С	С	N	N	N	С	С	С	N
J	И	N	С	N	N	И	И	N	N	N
м	С	С	С	С	С	И	С	С	С	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 9 alpha/numeric characters

FBCON - Final Billing Contact Name

This field identifies the name of the person or office to be contacted on billing matters.

Usage:

break	ACTIV	TIY TYP	E (ACC	OUNT LE	VEL)							
REQTYP	A	A C D M T R V SS RS W										
A	С	C C C C N C N N										

^{**}To be Developed.

^{***}NPT must = A, B, C; prohibited for NPT=D (LNP)

В	N	И	N	И	N	N	С	N	N	C*
С	N	С	C***	N	N	И	С	N	N	C*
D**	N	N	С	N	N	И	N	N	N	N
E	С	С	С	С	С	И	С	С	С	С
F	С	С	С	И	И	И	С	С	С	N
J	И	N	С	И	N	N	И	N	N	N
М	С	С	С	С	С	N	С	С	С	N

^{* -} NPT must = D (LNP), otherwise prohibited.

Note: Required if the FBI field is populated with a 'D', otherwise optional.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters

Example:

break

graphic: id=g07131 filename=gleoo001.131

Graphic file does not exist or is not permitted: 'gleoo001.131'

FBCON-TEL NO. - Final Bill Contact Telephone Number

This field identifies the telephone number of the billing contact.

Usage:

break	ACTIVITY TYPE (ACCOUNT LEVEL)									
REQTYP	A	C	D	M	Т	R	v	SS	RS	w
A	С	С	С	С	С	N	С	N	N	N
В	N	N	N	И	N	N	С	N	N	C*
С	N	С	C***	N	N	N	С	N	N	C*
D**	N	N	С	И	И	N	N	И	N	N
E	C	С	С	С	С	N	С	С	С	С
F	С	С	С	N	N	N	С	С	С	N
J	N	N	С	N	N	N	N	И	N	N

^{**}To be Developed.

	M	С	С	c	c	С	И	С	c	С	N
- 1					1			1		1	1

* - NPT must = D (LNP), otherwise prohibited.

**To be Developed.

***NPT must = A, B, C; prohibited for NPT=D (LNP)

Note 1: Required if the FBI field is populated with a 'D', otherwise optional.

Note 2: FBCON-TEL NO must be minimum of 10 numerics.

Legend: C=Conditional, P=Prohibited, R=Required, O=Optional, N=N/A

Data Characteristics: Up to 15 alpha/numeric characters